

Bibliografie

- AQUEM CONSORTIUM, 2002: Manual for the application of the AQEM system. A comprehensive method to assess European streams using benthic macroinvertebrates, developed for the purpose of the Water Framework Directive. Version 1.0, February 2002. pp 1-202.
- Askew, R.R., 2004. The Dragonflies of Europe, Harley Books, 1-308.
- Brauerneind, E., 1994. Bestimmungsschlüssel für die Österreichischen Eintagsfliegen (Insecta, Ephemeroptera), Wasser und Abwasser, Supplementband 4/1994, pp. 1-93.
- Brauerneind, E., Soldan, T., 2012. The Mayflies of Europe (Ephemeroptera). Apollo Books, Ollenrup, 1-782.
- Bayley, R.C., Norris, R.H, Reynoldson, T.B. 2004: Bioassessment of Freshwater Ecosystems using the Reference Condition Approach. Springer.
- Botnariuc, N., Cure, Victoria: Chironomidae larva determinator (Diptera) of Romania's fauna, Ed. Acad., Bucharest 1999
- Boudot, J-P., Kalkman, V.J., 2015. Atlas of the European dragonflies and damselflies. KNNV Publishing, The Netherlands, 1- 381.
- Brinkhurst, R., O., 1971: A guide for the Identification of British Aquatic Oligochaeta. Freshwater Biological Association, Scientific Publication, nr. 22, second edition, 1-55.
- Buffagni, A., Cazzola, M., López-Rodríguez, J., Alba-Tercedor, J., Armanini, D.G., 2009: Distribution and Ecological Preferences of European Freshwater Organisms. Vol. 3. Ephemeroptera, Pensoft, Sofia, 1-254.
- Cărăușu, S., Dobreanu, E., Manolache C. 1955: Crustacea Amphipoda, forme salmastre și de apă dulce. Fauna RP Române, București, 4 (4): 1-407.
- Cham, S., 2011. Field Guide to the larvae and exuviae of British Dragonflies, The British Dragonfly Society, Dorset, 1-152.
- Chapman, D. 1992: Water quality assessment; a guide to the use of biota, sediments and water in environmental monitoring, UNESCO/WHO/UNEP, Cambridge.
- Cîrdei, F., Bulimar, F., 1965. Odonata, In. Fauna R.P. Române, 7, 5, 1-275.
- Cranston, P.S., 1982: A Key to the Larvae of the British Orthocladiinae (Chironomidae), Freshwater Biological Association, Scientific Publication, 45, 1-150.
- Csabai, Z. 2003: Vízibogarak kishatározója III. – Vízi Természet- és Környezetvédelem sor., 17. Környezetgazdálkodási Intézet, Budapest, 279 pp.

- Dijkstra, K-D, B., Lewington R., 2014. Field Guide to the Fragonflies of Britain and Europe. British Wildlife Publishing, 1-320.
- Dinulescu, G., 1966, Diptera, Fam. Simuliidae. Fauna R. S. România, Insecta, 11, 8, 1-600.
- Dobson, M., 2013. Family-Level Keys to Freshwater Fly (Diptera) Larvae: A brief review and a Kez to European Families Avoiding use of Mouthpart Characters, Freshwater Reviews, 6(1), 1-32.
- Eggers T.O., Martens, A. 2001: Bestimmungsschlüssel der Süßwasser- Amphipoda (Crustacea) Deutschlands. - Lauterbornia 42: 1-68. Dinkelscherben.
- Eiseler, B. 2005: Identification key to the mayfly larvae of the German Highlans and lowlands. Lauterbornia Internationale Zeitschrift für Faunistic und Floristic der Binnengewasser Europas, Heft 53. pp.112.
- Elliot, J.M., Humpesh, U.H., Macan, T.T. 1988: Larvae of the British Ephemeroptera: A key with ecological notes. FBA Scientific Publication No. 49: 1-148.
- Elliot, J.M., Mann K.H. 1979: A key to the British freshwater leeches. Sci. Publ. No. 40, FBA, pp. 1-72.
- Godeanu, S. 2002: Diversitatea Lumii VII: determinatorul ilustrat al florei și faunei României, Ed. Bucura Mond, Bucharest, 2002
- Graf, W., Murphy, Dahl, J., Zamora-Munoz, C., López-Rodríguez, M.J., Davis, C., 2008. Trichoptera, In: Distribution and Ecological Preferences of European Freshwater Organisms, Volume 2. Pensoft, Sofia-Moscow, 1-388.
- Graf, W., Lorenz, J.M., Figureoa, de, J.M., Lücke, S., López-Rodríguez, M.J., Davis, C., 2009. Plecoptera, In: Distribution and Ecological Preferences of European Freshwater Organisms, Volume 2. Pensoft, Sofia-Moscow, 1-262.
- Gyurkó, St., Nagy Z., 1971. Repartiția, structura și realțiile trofice ale populațiilor de pești din cursul superior al Mureșului, Sudii și Cercetări Piscicole, 4: 311-348.
- Hamar J., Sárkány-Kiss. E (1995): The Maros/Mureș River Valley. TISCIA Monograph Series, Szolnok – Szeged - Târgu Mureș, Hungary – Romania.
- Hellawell, J. M. 1986: Biological indicators of freshwater pollution and environmental management, London.
- Illies, J. 1978: Limnofauna Europea. A Checklist of the Animals Inhabiting European Freshwaters, with an Account of their Distribution and Ecology. 2nd edition. Gustav Fischer Verlag. Stuttgart. pp. 1-552.
- Kis, B. Plecoptera, In: Fauna R.S. România, 8,7, 1-265.

- Kriska Gy., 2008. Édesvízi gerinctelen állatok. Határozó. Nemzeti Tankönyvkiadó, Budapest, 1-368.
- Knoben, R. A. E., Roos, C., Orischot M. C. M. 1995: Biological Assessment Methods for Watercourses, UN/ECE Task Force on Monitoring and Assessment, Vol. 3.
- Lubini V., Knispel S., Vincon G., 2012. Fauna Helvetica, Plecoptera, identification. Centre Suisse de cartographie de la faune, 1-270.
- Manci, 2011: The Dragonfly (Insecta: Odonata) collection of Iasi Museum of Natural History (Romania). Travaux du Museum National d'Histoire Naturelle "Grigore Antipa" 54(2) 379-393.
- Malicky, H., 1983. Atlas of European Trichoptera, Dr. W. Junk Publishers, the Hague-Boston-London, 1-297.
- Marcoci, S. 1984: Methodological guide for monitoring the evolution of water quality, Bucharest.
- Nógrádi, S., Uherkovichs Á., 2002. Magyarország Tegzesei (Trichoptera). Studia Pannonica, Series Historico-Naturalis, Pécs, 1-386.
- Pauls, S. 2004: Ergänzungen zu Reynoldson & Young (2000). IN: HAASE, P. – SUNDERMANN, A. (2004): Standardisierung der Erfassungs- und Auswertungsmethoden von Makrozoobenthosuntersuchungen in Fließgewässern. – Abschlussbericht zum LAWA-Projekt O 4.02.
- De Pauw N., Hawkes H. A. 1992 : Biological monitoring of river water quality, River water quality monitoring and control, Walley W. J., Judd S. (eds.), Ashton University, UK, 87-111.
- De Pauw, Van Damme, bij de Vaate, 1996: Manual for macroinvertebrates identification and water quality assessment, Ghent.
- Papadopol, MN., Popescu-Marinescu, V. 1980. The study of the benthic fauna of the upper Mureş River. Trav. Mus. Hist. Nat. Grigore Antipa, 21: 145-150.
- Pitch, T. (1993): Zur Larvaltaxonomie, Faunistik und Ökologie mitteleuropäischer Fließwasser-Köchelfliegen (Insecta: Trichoptera). Technische Universität Berlin, 1-319.
- Resh V. H., Myers M. J., Hannaford M. J. 1996: Macroinvertebrates as Biotic Indicators of Environmental Quality, Methods in Stream Ecology (Hauer R. F., Lambert G. A., eds.), Academic Press, San Diego, 647-668.
- Reynoldson, T.B., Young, J.O. 2000: A key to the Triclads of Britain and Ireland with notes on their ecology. – Freshwater Biological Association Scientific Publication 58: 1–72.

- Rosenberg D. M., Resh V. H., 1993: Freshwater biomonitoring and benthic macroinvertebrates, Chapman and Hall, London.
- Rudescu, L. Porifera, Potamospongidae. Fauna R.S. România, Editura Academiei R. S. României, 1-115.
- Seager J., Milne I., Rutt G., Crane M., 1992: Integrated biological methods for river water quality assessment, River water quality (eds. P. Newman et al.), pp. 399-415.
- Sárkány-Kiss E., 1983a: Contribuții la cunoașterea populațiilor și asociațiilor de gastropode acvatice din valea râului Mureș, sectorul Izvorul Mureșului-Târgu Mureș, Marisia 11-12: 105-114.
- Sárkány-Kiss E., 1983b: Note preliminare la cunoașterea faunei de moluște dulcicole a văii Mureșului între Târgu-Mureș și Arad, Marisia, 11-12: 121-124.
- Sárkány-Kiss E., 1986. Die Verbreitung Dynamic und die Rolle der *Ancylus fluviatilis* O.F. M-ller in den Zoocenosen der Gewasser des Mures Fluss Basins. Proc. 8th Int. Malacological Congress, Budapest, 1983, 235-238.
- Sárkány-Kiss E., Hamar J., Sîrbu I., 1997: Starea ecologică a râului Mureș. Fluvii Carpatorum, Szolnok-Târgu Mureș, Tipografia Lyra, pp. 1-194.
- Sárkány-Kiss E., Sîrbu I., 2002: Contribuții la cunoașterea ecologiei râurilor și zonelor umede din bazinul Tisei. Editura Liga Pro Europe, Târgu Mureș, 1-184.
- Snifert, N. 2007: Revision and testing of BMWP scores. Final Report, Project WFD72A, May 2007, p. 247.
- Snifert, N. 2008. UKTAG River Assessment Methods : Benthic Invertebrate Fauna, River Invertebrate Classification Tool (RICT). Project WFD72C, Dec 2008, p. 93.
- Steinmann H., 1964. Szitakötő lárvák. Larvae Odonatorum. Fauna Hungariae, V, 7, 1-48.
- Studemann, D., Landolt, P., Sartori, M., Hefti, D., Tomka, I., 1992: Ephemeroptera, Insecta Helvetica. 1-173.
- Szító A. (1995): Macrozoobenthos in the Maros (Mureș) River [Makrozoobentosz a Maros folyóban] In: Hamar J., Sárkány-Kiss E. (eds.): The Maros/Mureș River Valley. TISCIA Monograph Series, Szolnok – Szeged - Târgu Mureș, Hungary – Romania, pp. 185-192.
- Szító A., Vlek, H. 2004: STAR, Deliverable N1, Comparison of (cost) effectiveness between various macroinvertebrate field and laboratory protocols, 1-78.
- Sundermann, A., Lohse, S., Beck, L.A., Haase, P. 2008. Key to the larval stages of aquatic true flies (Diptera), based on the operational taxa list for running waters in Germany, Annales Limnologici, 43 (1): 61-74.
- Uvári, I. 1972. Geografia Apelor României. Editura Științifică, București, 1-592.

- Ujvárosi L. 2003. Erdély folyóinak természeti állapota. A kémiai és ökológiai vízminősítés a rekonstrukció megalapozására. Scientia Kiadó, Kolozsvár, 1-301.
- Ujvárosi L. și Debreczeni G., 2011. Tegzesek (Trichoptera) mennyiségi és minőségi előfordulási viszonyai a Gyergyói medencében. Kifejlett és larva adatok összehasonlítása. In Markó B., Sárkány-Kiss E.: A Gyergyói-medence: egy mozaikos táj természeti értékei. Presa Universitară Clujeană, Cluj Napoca, pp. 55-74.
- Wagner, J., 1943. Az 1942. évi erdélyi kutatóutak malakológiai eredményei. Állattani Közlemények, 35-39.
- Waringer J., Graf, W. 1997: Atlas der österreichischen Köcherfliegenlarven: unter Einschluss der angrenzenden Gebiete. - Wien: Facultas-Univ. Verl., 1-287.
- Waringer J., Graf, W. 2013: Key and bibliography of the genera of European Trichoptera larvae. Yootaxa, 3640 (2): 101-151.
- Welter-Schultes, F., 2012: European non-marine molluscs, a guide for species identification, Planet Poster Editions, Göttingen, 1-674.
- Wiederholm, M.T. 1983: Chironomidae of the Holarctic region. Keys and diagnoses. Part 1. Larvae. Ent. Scand. Suppl. 19: 1-457.
- Wiese, V., Richling, I. 2007: Handkarte Süßwassermollusken Mitteleuropas. Haus der Natur. Cismar.
- Zwick, P. 2004: Key to the West Palearctic genera of stoneflies (Plecoptera) in the larval stage. Limnologica 34:315–348.
- ***SC EN 14614, 2005: Calitatea apei. Ghid pentru evaluarea caracteristicilor hidromorfologice ale râurilor. Institutul Român de Standardizare. Comitetul Tehnic.
- ***SC CENTR, 2012: Calitatea apei. Linii directoare pentru prelevarea macro-nevertebratelor benthice din apele curgătoare de mică adâncime proporțional cu suprafețele de acoperire a habitatelor. Comitetul Tehnic.
- ***SR CENTR 16151, 2016: Calitatea apei. Ghid pentru elaborarea indicilor multimetriци. Institutul Român de Standardizare. Comitetul Tehnic.

Întocmit,
Keresztes Lujza
expert biolog



Cluj Napoca
8 mai, 2020

